)Heatugh

VLP30 PAINT DRYER



The VLP30DS model has three 1kW Glare Control lamps, fitted into three individual cassettes. Unit is equipped with an ultrasonic distance indicator allowing it to be correctly positioned. The lamps emit short wave infrared heat ideal for optimizing drying of water-based paints. This flexible system allows each cassette to be adjusted and locked into position around the contours of the vehicle body, ensuring maximum area coverage.


Height adjustment is made using the high performance locking gas strut, offering a near weightless movement to the cassette support arm.

Typical drying cycle only costs 9 pence (based on 1kW/hour of electricity costing 12 pence).

PRODUCT FEATURES INCLUDE:

- 500mm 1kW High output GC short wave tubes fitted to each cassette.
- Twin 30 minute timers on both Flash and Bake settings.
- Power settable on both Flash and Bake Cycle.
- Distance indicator with safety cut out if unit is moved too close.
- Robust steel constructed stable frame, fitted with rear wheel locking castors.
- Maintenance free cassettes with no fan or filter changes.
- Easy height adjustment by locking gas strut.
- Individually switched cassettes.
- Horizontal and vertical cassette operation.
- Long lamp/emitter life with an average of 6000 hours. Typically 4-5 years continuous professional use.





Area coverage: 800mm x 1000mm

Minimum operating distance: 500mm Max vertical curing height: 2030mm Max horizontal curing height: 1800mm

Average curing specification

Filler/ Stopper: 4-6 minutes Primer: 6-8 minutes Top coat: 10-12 minutes

Electrical Specification

220/240v 3kW 50Hz single phase 12.5 amps 380/415v 3kW 50Hz three phase 4.25 amps/ phase



www.hygieneprofi.biz